

# JBC

[www.jbctools.com](http://www.jbctools.com)



# PA120

MICRO TWEEZERS

# PA120/MICRO HOT TWEEZERS

PA120-A  
MICRO HOT TWEEZERS

MANUAL



## INSTALLATION

DD-2B/DD-1B/DD-9B  
CONTROL UNIT

PA-SC  
STAND





Mains  
Equipotential connection



Connectable control units: **DI**, **DD** and **RM**  
Connectable compact line: **CP**

## CHANGING THE CARTRIDGE




## CARTRIDGE RANGE


PA120-A has an individual temperature control for each cartridge so it is supplied individually.

## CHIPS COMPONENTS


C120-002




C120-902




C120-006



C120-004




C120-011




## DUAL IN LINE


C120-001




C120-003




C120-005



C120-007



C120-008



C120-009

C120-010

Consult our wide range of cartridges with more than 300 references in [www.jbctools.com](http://www.jbctools.com).

For special cartridges contact with our distributor.



This product should not be thrown in the garbage.

# **JBC**

---

## **WARRANTY**

JBC's 2 years warranty guarantees this equipment against all manufacturing defects, covering the replacement of defective parts and all necessary labour.

Warranty does not cover product wear due to use or mis-use.

In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased enclosing this fully filled in, sheet.

---

SERIAL N°

---

STAMP OF DEALER

---

DATE OF PURCHASE

---

**[www.jbctools.com](http://www.jbctools.com)**

0008846-0312